


Roof vent

Slimline aluminium roof vent



Hub

Weathering hub offers ultimate protection from wind and rain




Speedlock

Patented Speedlock ensures bars are secured and glazing is perfectly aligned



Glassroof

By Ultraframe



Top-caps

Chambered top-caps provide maximum security and thermal efficiency. Available in any RAL colour



Jack rafters

Wind resistant jack rafters - tested in 120mph winds



Profile

Strong 'wineglass' bars engineered to withstand extreme weather conditions for your postcode



Glazing stops

Robust glazing supports prevent glass slippage



Cornice

Optional cornice hides gutters and adds shape to the roofline. 4 designs available




Columns

Optional super-insulated columns



Pelmet

Optional internal pelmet insulates the eaves - a useful place for spotlights or speakers



Twinbolts

Twinbolts deliver super-strong structural joints



Anchor clips

Anchor clips control natural movement for a weathertight seal



Eaves beam

Optional super duty eaves beam for larger spans

Building Regulation Compliant
Glass Roof is fully Building Regulation compliant and has JHA1 system approval to minimise red tape.



Ultraframe[®]

Transforming light and space



Starter strip

The tile starter strip provides an authentic slate look and ventilation




Tiles

Authentic looking replica tiles



Glazing

Full length glazing




Ridge

Fully insulated ridge




Hips

Slimline aluminium hip and ridge cappings



Box beam

Fully insulated box beam eliminates the risk of condensation




Expandable panel

The expandable Ultrapanel expands to fill any gaps in the roof to prevent cold spots



Bi-fold doors

The Ultrarroof beam is strong enough to accommodate large sets of bi-fold or sliding doors up to 4m without costly additional support



Insulation

Structural insulation within the timber and steel Ultrapanel helps the roof deliver a U-Value of 0.15 (as low as 0.12 if required)



Framework

Combining the best timber and steel construction technology, the framework is engineered to postcode, ensuring all critical load points in the roof are built to withstand extreme wind and snow loads for your specific postcode




Pelmet

Internal pelmet for downlights and speakers



Soffit

Optional external soffit



No tie bar required


Ultraframe creates a beautiful vaulted ceiling and no tie bar required

Building Regulation Compliant
Ultraframe is fully Building Regulation compliant and has JHAI system approval to minimise red tape.



Livingroof[®]

By Ultraframe



Grey insulated panels

Grey aluminium insulated panels provide a U-Value of 0.15 and 0.12 to reduce heating bills



Profile

Strong 'wineglass' bars engineered to withstand extreme weather conditions for your postcode



Glazing stops

Robust glazing supports prevent glass slippage




Jack rafters

Wind resistant jack rafters – tested in 120mph winds



Cornice

A grey curved cornice adds style and shape to the roofline, hiding gutters too



Hub

Weathering hub offers ultimate protection from wind and rain – no leaks




Speedlock

Patented Speedlock ensures bars are secured and glazing is weathertight



Shaped glazing

Shaped glazing panels give plenty of natural light, just where you need it



Top-caps

Thermally isolated aluminium top-caps provides maximum security and thermal efficiency. Available in grey



Twinbolts

Twinbolts deliver super-strong structural joints



Columns

Optional super-insulated columns



Pelmet

An integrated internal pelmet lifts the ceiling and insulates the perimeter. A useful places for spotlights or speakers



Building Regulation Compliant
Livingroof is fully Building Regulation compliant and has JHAI system approval to minimise red tape.



Ultraframe[®]

Transforming light and space



Storm shield

Triple layer protection at the ridge end, with glazing compression trims, a weathering shield and a secure-fit cover



Neat ridge ends

Neat ridge ends – less bulky vs traditional conservatories. Less material – more light



Strong ridge

Super strong ridge with a high performance thermal break reduces the risk of condensation



Twinbolts

Twinbolts deliver super-strong glazing bar structural connections to ridge and eaves beam


Ultrasky[®]

ROOF by Ultraframe



Slim Sightlines

Less bars and no bulky radius ends creates a neat, slim lantern look from the inside



Jack rafters

Tried tested and proven structural jack rafter connections



Profile

Strong 'wineglass' bars engineered to withstand extreme weather conditions for your postcode



Hidden goalpost

Ultraspan goalpost designed to work with large spans of bi-fold or sliding doors



Cornice

Create an orangery look around the roofline with a choice of 4 stylish cornice designs



RAL colour

Ultrasky roof is available in any RAL colour to match your door and window frames



Glass options

Choose from a wide range of performance glass options



Glazing stops

Robust glazing supports prevent glass slippage



Columns

Stylish aluminium super-insulated columns add glamour and thermal performance to the orangery design



Pelmet

An insulated internal pelmet creates the lantern orangery look providing a perimeter ceiling for spotlights and speakers

Ultraframe[®]

Transforming light and space

Ultraskey[®]

LANTERN by Ultraframe




Glazing stops

Robust glazing supports prevent glass slippage




Thermally broken

Thermal breaks in the ridge and bars reduce the risk of condensation




Strong ridge

Super strong ridge reduces the amount of bars needed and can allow Lanterns up to 4m wide x 5.85m long



Neat ridge ends

Neat ridge ends – less bulky vs traditional conservatories. Less material - more light



Fixed pitch

25° degree fixed pitch – draws the maximum amount of light into the room below



Storm shield

Triple layer protection at the ridge end, with glazing compression trims, a weathering shield and a secure fit cover



Neat finish

Less bars create a neat, slim lantern look from the inside





Insulated Eaves

Thermally clad eaves rail



RAL colour

Ultraskey Lantern is available in any RAL colour to match your door and window frames



Top-caps

Thermally isolating top cap clips



End caps

Secure-fit end caps provide a thermal barrier



Glass options

Choose from a wide range of performance glass options



Columns


Stylish aluminium super-insulated columns add glamour and thermal performance to any orangery design

Ultraframe[®]

Transforming light and space


Ultras^{ky}

SKYLIGHT by Ultraframe




Noise reducing

Noise reducing glass, available in blue or clear glass



Glass

Frameless edge to edge glass for a minimalist design




U-Value

With a U-Value of 0.12, the flat skylight exceeds Building Regulation requirements



Timber Kerb

Can be used with a timber kerb




Plasterboard

Finished internally with fineline plasterboard trim to ensure a neat finish




Columns

Stylish aluminium super-insulated columns add glamour and thermal performance to any orangery design



Frameless

No frame internally for maximum light and better views



Click-fit frames

Click-fit secure aluminium frame for a perfect fit, every time



Insulated core

Fully insulated core with 'Warmframe' technology, helps prevent condensation

Ultraframe

Transforming light and space